



Aesthetic Design, Noble And Elegant

- Perfect texture
- HD large-screen display, fashionable visual space experience
- Accurate touch



LS 2 Function



Fashionable appearance and streamline design

Metal base, fashion ultra-thin body, streamline design, be delicate and beautiful, be tight and durable, and be suitable for different cases.



Flexible and sensitive touch for easy access

No blind point, full touch, brand-new infrared image location, highly sensitive response and image acquisition via one touch.



Industrial mainboard

Industry-level mainboard, high-end processor, fluent user experience and quick response. Support 7×24 hours continuous work.



Multi-point touch control for flexible interaction

Support convenient multi-person and multi-point touch, quick response, and efficient service, query and guide.



Unique appearance

Slanting appearance design, consistent with ergonomics idea, brings you comfortable operation and perfect experience.



Completely support mainstream audio and image formats

Support mainstream audio and image formats such as MPEG-1, MPEG-3, WMV9, AVI, XVID, H264, D1, 720P, 1080I and 1080P.

LS 2 Parameters

Specification	43LS2N	55LS2N
Display parameters		
Panel size	43"	55"
LCD type	LED	LED
Bare dimension(mm)	1017×520.5×1178.5	1302×585×1222.5
Packing dimension(mm)	1171×686×1425/1157×672×1430	1479×802×1480/1460×788×1485
Power consumption	≤140W	≤190W
Operating voltage	100V-240VAC,50/60Hz	100V-240VAC,50/60Hz
Optimum resolution	1920×1080@60Hz	1920×1080@60Hz
Viewing angel	178°, 178°	178°, 178°
Brightness	450cd/m ²	350cd/m ²
Contrast ratio	1100:1	1400:1
Response time	12ms	8ms
Color	16.7M	16.7M
Sound configuration	10W+10W	10W+10W
Program	Standard configuration of PC/ Android (optional)	
Touch	Standard configuration with touch	
External interface		
Digital signage function input		
USB2.0	×2	×2
RJ45 (L A N)	×1	×1

Manufacturing strength | Quality control | After sales service

Commercial company production line



Module production line



Commercial display product assembly line



Professional display product assembly line

iSEMC commercial advantage



Screen resource

LGD PD general agent.
Low-cost self-produced screen.



Factory manufacturing

Reliable quality.
Assembly professional production.
Meet differentiated needs.



Technical services

Complete range of products.
Meet differentiated needs.



Cooperation mode

Focus on OEM, low marketing costs.
Flexible and diverse.



Beijing Lema Technology Co.,Ltd.

Tel:+86 10 61706912 | Fax:+86 10 61706912
Email:info@isemc.com | Website:www.isemc.com